

MT1_45 suspended

L'illuminazione generale si ottiene con ottiche a fascio ampio e con luce controllata, applichiamo tecnologie differenti per offrire sempre massimo comfort visivo ed efficienza.

General lighting is obtained with wide beam optics and controlled light, we apply different technologies to always offer maximum visual comfort and efficiency.



SA·VA



Profilo alluminio 65 x 61mm, completo di diffusore opale (efficienza 64%) o prismaticizzato trasparente (efficienza 92%), alimentazione integrata. Montaggio a sospensione.

Sistema modulare per apparecchio singolo o file continue, realizzato in alluminio in versione minimal con diffusore a filo, low contrast per luce generale con schermo opale, high contrast con diffusore prismaticizzato a luminanza controllata.

Modular system for single luminaire or continuous files, made of aluminum in minimal version with wire diffuser, low contrast for general light with opal screen, high contrast with prismized diffuser with controlled luminance.


Diffusore - diffuser

opale | opal
prismaticizzato | prismatic

65 x 61mm aluminum profile, complete with opal diffuser (efficiency 64%) transparent prismized (efficiency 92%), integrated power supply. Suspension mounting.

MT1_45

finiture: nero, bianco, alluminio anodizzato.
finishing: black, white, anodised aluminum.



Black



White



Aluminum

